Concrete Barrier U-14b BPPS-1 Double-Sided – Painted Yellow / Black

SKU: BA81BETYB2SCE

Gross Price: Kč 13,685.10

Net Price: Kč 11,310.00



Technical Specification

Attribute	Value
Dimension	2000 x 550 x 810 mm
Color	Yellow/Black
Material	Beton B35 / B45
Weight	1200 kg
Shipping time	By arrangement

Description

Concrete Barrier U-14b BPPS-1 Double-Sided – Painted Yellow/Black

The U-14b BPPS-1 double-sided concrete barrier is a highly durable and certified safety device designed for maximum protection in demanding environments. Painted in a highly visible yellow/black pattern and measuring 2000 mm × 550 mm × 810 mm, this barrier ensures excellent visibility, long-lasting stability, and reliable performance wherever safety is a priority. Manufactured from high-strength **B35/45 concrete** and weighing **1200 kg**, it guarantees exceptional resistance to impact forces and vehicle collisions.

The barrier complies with European safety regulations and is equipped with a **CE certificate**, confirming its conformity with strict EU standards. The double-sided design allows for efficient installation in long protective lines or individually as a structural impact point.

Its clear yellow/black marking greatly enhances visibility, making it ideal for use in roadwork zones, industrial sites, logistics areas, construction sites, and public or private parking areas. The U-14b BPPS-1 barrier ensures reliable separation of traffic, protection of pedestrians, restricted access control, and the stabilization of temporary or permanent safety zones.

Our company has been producing and importing **road traffic safety equipment** for many years. We are recognized throughout Europe for our comprehensive assortment, reliability, and professional service. Most orders are shipped directly from our warehouse, guaranteeing **fast delivery** and an **excellent price-to-quality ratio**. As a trusted manufacturer and direct importer, we provide top-quality solutions relied upon by wholesale and retail customers across multiple European markets.

Additional suggested applications:

1. Protection of industrial machinery zones
2. Securing critical infrastructure and utilities
3. Creating temporary road diversions
4. Preventing access of heavy vehicles
5. Safety reinforcement during mass events

Bariera betonowa U-14b BPPS-1 dwustronna - malowana

Bariery drogowe z certyfikatem CE. Wykonane są z wytrzymałego betonu co sprawia, dzięki czemu są bardziej odporne na uszkodzenia mechaniczne. Bariery energochłonne chronią pojazdy przed nieplanowana zmianą toru jazdy, minimalizują uszkodzenia w razie kolizji oraz w wyraźny sposób wyznaczają krawędź jezdni. Zapory drogowe sprawdzają się w zabezpieczaniu remontów oraz prac budowlanych

na drodze. Bariery ochronne ważą 1200 kg oraz posiadają wymiary: 200 cm x 55 cm x 81 cm. Bariery betonowe są pomalowane w kolory żółto-czarny lub biało-czerwony co zwiększa ich widoczność na drodze oraz pozwala na wcześniejsze zauważenie zabezpieczeń. Betonowe bariery ochronne sprawdzają się także na terenie parkingów oraz magazynów. Bariery drogowe są szeroko wykorzystywane w wielu branżach, między innymi w drogowej, budowlanej czy motoryzacyjnej. Bariery energochłonne stanowią jedne z najskuteczniejszych zabezpieczeń drogowych i pozwalają na zapewnienie wysokiego poziomu bezpieczeństwa wszędzie tam gdzie to konieczne. Na życzenie klienta organizujemy transport barier (dostawa jest dodatkowo płatna). Rozładunek oraz rozstawienie barier leży po stronie odbiorcy – w celu wyceny i organizacji transportu prosimy o kontakt.