

Acrylic road mirror

U-18a Ø 800 mm



SKU: LUDFI80AC

Gross Price: Kč 3,558.13

Net Price: Kč 2,940.60



Technical Specification

Attribute	Value
Dimension	800 mm
Color	Red/white
Material	Akryl
Weight	6,0 kg
Shipping time	3-7 days

Description

U-18a Ø 800 mm Acrylic Traffic Mirror – White and Red

Professional Traffic Mirror for Safety and Brightness

The U-18a 800 mm convex mirror is a high-end traffic safety device designed to effectively increase the field of view in areas requiring extended coverage. Its large Ø 800 mm mirror diameter, convex surface, and two exits allow for quick detection of oncoming vehicles and pedestrians, eliminating additional blind spots.

The mirror is made of false acrylic, which activates through mechanical, UV, and mechanical action. The red and white frame ensures the mirror's safety is monitored and provides accurate markings.

Detailed technical specifications of the U-18a:

Mirror diameter: 800 mm

Dimensions: 930 × 930 × 180 mm

Material: Acrylic

Frame color: White and red

Weight: 6.00 kg

Viewing angle: 2 directions

Optimal viewing distance: 15–22 m

Purpose and Application of the U-18a Ø 800 Traffic Mirror

The U-18a Ø 800 mm traffic mirror is suitable for use wherever road infrastructure, buildings, or fences restrict visibility:

-intersections of roads and residential streets with limited visibility,

- exits from properties, gates, and parking lots,
- public transport stops located on curves,
- internal roads near production plants,
- warehouses, retail facilities, and logistics centers.

5 Additional Applications

- Production and warehouse facilities
- Forklift maneuvering areas
- Entrance and exit ramps in parking lots
- Construction sites and technical facilities
- Public facilities (schools, hospitals, offices)

Road mirror installation and adjustment

A road mirror should be mounted at least 2.0 meters above the sidewalk or roadside. Precise angle adjustment is crucial, ensuring the critical direction of traffic and the vehicle maneuvering area are within the field of view.

How to maintain good image clarity year-round?

To maintain high image quality:

- regularly remove dust, road salt, and deposits with a soft cloth,
- check that greenery and surrounding elements do not obstruct the field of view,
- check the stability of the mounting after the winter season.

Why buy from us?

For many years, we have specialized in road safety devices. We are a manufacturer and direct importer, well-known and respected in the market.

We offer a wide range of road safety products, and most orders are fulfilled directly from our warehouse, ensuring fast delivery.

We sell our products in many European markets, serving both wholesale and retail customers. We offer high quality at an attractive price.

Lustro drogowe U-18a.

Materiał: Akryl

Średnica lustra Ø 80 cm

Lustra drogowe wypukłe o zwiększonym kącie obserwacji, stosuje się w miejscach, gdzie stojące przy drodze budynki, słupy, drzewa itp. ograniczają widoczność kierującym pojazdami. Dotyczy to przede wszystkim:

Skrzyżowań dróg i ulic osiedlowych

Wyjazdów z posesji

Przystanków komunikacji zbiorowej usytuowanych na łukach dróg (torów) lub ulic

Dróg wewnętrznych w zakładach produkcyjnych, obiektach handlowych itp.